Evaluating the Impact of 374 Visual-based LSCOM Concept Detectors on Automatic Search

Shih-Fu Chang, Winston Hsu, Wei Jiang, **Lyndon Kennedy**, Dong Xu, Akira Yanagawa, and Eric Zavesky


Digital Video and Multimedia Lab Columbia University

NIST TRECVID Workshop November 14, 2006

Video / Image Search

- Objective: Semantic access to visual content
- Stop-gap solutions
 - Text Search
 - Not always useful
 - Text not available in all situations
 - Query-by-Example
- Find shots Lacking in semantic meaning
 - Example images not readily available
 - Concept Search: exciting new direction
 - Visual indexing with concept detection: high semantic meaning
 - Simple text keyword search

Concept Search Framework




Concept Search

- Text-based queries against visual content
- Index video shots using visual content only
 - run many concept detectors over images
 - treat scores as likelihood of containing concept
- Allow queries using text keywords (no examples)
 - map keywords to concepts
 - use fixed list of synonyms for each concept
- Many concepts available
 - LSCOM 449 / MediaMill 101
 - TRECVID 2006: first opportunity to put large lexicons to the test

Concept Search: TRECVID Perspective

- Concept search is powerful and attractive
 - But unable to handle every type of query
- Text and Query-by-Example still very powerful
 - Want to exploit any/all query/index information available
- Impact of methods varies from query to query
 - Text: named persons
 - Query-by-Example: consistent low-level appearance
 - Concept: existence of matching concept
- Propose: Query-Class-Dependent model

Query-Class-Dependent Search



Query Classes

Named Person

if named entity detected in query. Rely on text search

Sports

if sports keyword detected in query. Rely on visual examples.

Concept

 if keyword maps to pre-trained concept detector. Rely on concept search.


Named Person + Concept

 if both named entity and concept detected. Combine text and concept search equally.

General

for all other queries. Combine text and visual examples equally.

Query Class Distribution



Query Processing / Classification

Incoming Query Topic Natural language statement

Find shots of Condoleezza Rice.

Find shots of scenes with snow.

Find shots of one or more soccer goalposts.

Keyword Extraction

Part-of-Speech Tagging Named Entity Detection

condoleezza rice

scenes snow

soccer goalposts

Query Classification

Named Entity?
Matching concept?
Sports word?

Named Entity


Matching Concept

Sports

Text Search

- Extract named entities or nouns as keywords
- Keyword-based search over ASR/MT transcripts
 - use story segmentation
- Most powerful individual tool
 - Named persons: "Dick Cheney," "Condoleezza Rice," "Hussein"
 - Others: "demonstration/protest," "snow," "soccer"


Story Segmentation



[Hsu, CIVR 2005]

- Automatically detect story boundaries.
 - low-level features: color moments, gabor texture
 - IB framework: discover meaningful mid-level feature clusters
 - high-performing in TV2004
 - results shared with community in 2005 + 2006
- Stories for text search
 - typically 25% improvement
 - TV2006: 10% improvement

Named Entity Query Expansion



Information Bottleneck Reranking



(a) Search topic "Find shots of Tony Blair"
& search examples



(b) Text search results



(c) IB reranked results + text search

Information Bottleneck Reranking


Information Bottleneck principle

$$C^* = \underset{C|R}{\operatorname{argmin}} \{ I(X;Y) - I(C;Y) \}$$






Y= search relevance



Clusters automatically discovered via Information Bottleneck principle & Kernel Density Estimation

low-level features



Re-order text results

- make visually similar clusters
- preserve mutual information with estimated search relevance
- Improve 10% over text alone
 - lower than past years
 - text baseline is (too) low


Visual Example Search

• Fusion of many image matching and SVM-based searches

Feature spaces:

- 5x5 grid color moments, gabor texture, edge direction histogram
- Image matching:
 - euclidean distance between examples and search set in each dimension
- SVM-based:
 - Take examples as positives (~5), randomly sample 50 negatives
 - Learn SVM, repeat 10 times, average resulting scores
 - Independent in each feature space
- Average scores from 3 image matching and 3 SVM-based models
- Least-powerful method
 - best for "soccer"

Reminder: Concept Search Framework



Concept Ontologies


- LSCOM-Lite
 - 39 Concepts (used for TRECVID 2006 High-level Features)
- LSCOM
 - 449 Concepts
 - Labeled over TRECVID 2005 development set
 - 30+ Annotators at CMU and Columbia
 - 33 million judgments collected
 - Free to download (110+ downloads so far)
 - http://www.ee.columbia.edu/dvmm/lscom/
 - revisions for "event/activity" (motion) concepts coming soon!

Lexicon Size Impact

 10-fold increase in number of concepts Possible effects on search?

- Depends on:
 - How many queries have matching concepts?
 - How frequent are the concepts?
 - How good are the detection results?

Concept Search Performance Increasing Size of Lexicon



Increasing Lexicon Size

	39 Concepts	374 Concepts
TV 2005	MAP: 0.0353	MAP: 0.0743
TV 2006	MAP: 0.0191	MAP: 0.0244


- Large increase in number of concepts,
 Moderate increase in search performance
 - 10x as many concepts in lexicon
 - Search MAP increases by 30% 100%

Concept / Query Coverage

	39 Concepts	374 Concepts
TV 2005	11 Query Matches 1.1 Concepts/Query	17 Query Matches1.3 Concepts/Query
TV 2006	12 Query Matches 1.8 Concepts/Query	17 Query Matches2.5 Concepts/Query


- Large increase in number of concepts,
 Small increase in coverage
 - 10x as many concepts in lexicon
 - 1.5x as many queries covered
 - 1.2x 1.4x as many concepts per covered query

Concept Frequencies



Concept Detection Performance

Internal evaluation: 2005 validation data



Effect of Larger Lexicon

- 10x increase in lexicon size
 - 30% (2006) 100% (2005) increase in retrieval performance
- Contributing factor:
 - 50% relative increase in query coverage
- Negative factors:
 - concepts in larger lexicon on less frequent (75% decrease)
 - less detectable (33% decrease in MAP)
- Positive effects of matching concepts outweigh problems of detectability

Finds shots with one or more emergency vehicles in motion (e.g., ambulance, police car, fire truck, etc.)

Find shots with a view of one or more tall buildings (more than 4 stories) and the top story visible.

39: None

374: Emergency_Room, Vehicle

39: Building

374: Building

Concept

Find shots with one or more people leaving or entering a vehicle.

Find shots with one or more soldiers, police, or guards escorting a prisoner.

39: None

374: Vehicle

39: Military_Personnel, Prisoner

374: Guard, Police_Security, Prisoner,

Soldier

Find shots of a daytime demonstration or protest with at least part of one building visible.

39: People_Marching, Building

374: Demonstration_Protest, Building,

Protesters

Find shots of US Vice President Dick Cheney.







Named Person

Find shots of Saddam Hussein with at least one other person's face at least partially visible.

Find shots of multiple people in uniform and in formation.













General

Find shots of US President George W. Bush, Jr. walking.













Find shots of one or more soldiers or police with one or more weapons and military vehicles.

39: Military_Personnel

374: Soldiers, Police, Weapons, Vehicles

Find shots of water with one or more boats or ships.

Find shots of one or more people seated at a computer with display visible.

39: Water, Boat_Ship

374: Water, Boat_Ship

Concept

39: Computer_TV-Screen

374: Computer_TV-Screen

Concept

Find shots of one or more people reading a newspaper.











Find shots of a natural scene - with, for

39: Animal, Building, Mountain, Waterscape_Waterfront, Road, Sky

374: Animal, Beach, Building, Fields, Lakes, Mountain, Oceans, River, Road, Sky, Trees, Vehicle

Concept

Find shots of one or more helicopters in flight.

Find shots of something burning with flames visible.

39: None

374: Helicopter

Copoopt

39: Explosion_Fire

374: Explosion_Fire

Concept

Find shots of a group including least four people dressed in suits, seated, and with at least one flag.

39: US-Flag

374: Flags, Groups, Suits

Concept

Find shots of at least one person and at least 10 books.







Find shots of a greeting by at least one kiss







Find shots containing at least one adult person and at least one child.

39: None

374: Adult, Child

39: None

on the cheek.

374: Election_Greeting

Concept

Find shots of smokestacks, chimneys, or cooling towers with smoke or vapor coming out.

39: None

374: Power_Plants, Smoke

Concept

Find shots of one or more soccer goalposts.

39: Sports

374: Soccer

Sports

Find shots of Condoleeza Rice.



Find shots of scenes of snow.

39: Snow

374: Snow

Example Query: Building

Text:

"Find shots with a view of one or more tall buildings (at least 5 stories) and the top story visible."

Keywords: view building story

Visual Concepts: building

Visual Examples:









Query class:

- "concept"
- Text search: (.05)
 - "view building story"
- Concept search: (.85)
 - "building" concept
- Visual search: (.10)
 - 4 examples

Building: Text Search



- No meaningful results from text
- No link between transcript and visuals

Building: Information Bottleneck Reranking



- IB reranking ineffective
- Text search ineffective to begin with

Building: Concept Search



 Map to "building" concept detector

 Strong performance


Building: Visual Example Search



Strong color and edge cues

 Many false alarms

Building: Fused



Concept - 0.85
 Example - 0.10
 Text - 0.05

- little improvement over concept alone
 - · no loss, though

Example Query: Snowy Scenes

Text:

"Find shots of scenes with snow."

Keywords: scenes snow **Visual Concepts:** snow

Visual Examples:
















- Query class:
 - "concept"
- Text search: (.05)
 - "scenes snow"
- Concept search: (.85)
 - "snow" concept
- Visual search: (.10)
 - 7 examples

Snowy Scenes: Text Search




- Stories about snow, some with weather map.
- Text search strong down the list.

Snowy Scenes: Information Bottleneck Reranking



- IB reranking focuses in on:
 - weather map (error)
 - white scene (correct)
- Filters out:
 - anchors
 - other noise


Snowy Scenes: Concept Search



 Map to "snow" concept detector

Fair performance


Snowy Scenes:Visual Example Search



Strong white scene cues

 Many false alarms

Snowy Scene: Fused



Concept - 0.85
 Example - 0.10
 Text - 0.05

 Complementary, high-precision

Example Query: Soccer

Text:

"Find shots of one or more soccer goalposts."

Keywords: soccer goalposts

Visual Concepts: soccer

Visual Examples:









Query class:

- "sports"
- Text search: (.05)
 - "soccer goalposts"
- Concept search: (.15)
 - "soccer" concept
- Visual search: (.80)
 - 4 examples

Soccer: Text Search



 Many stories mention "soccer"

Most are relevant

 Considerable noise

Soccer: Information Bottleneck Reranking



Strong green cues

Soccer: Concept Search



 Map to pretrained "soccer" concept

 Strong performance

Soccer: Visual Examples



Strong green cues

Still many errors

Soccer: Fused



Concept - 0.15
 Example - 0.80
 Text - 0.05

 Complementary, highly precise

Example Query: Condoleezza Rice

Text:

"Find shots of Condoleeza Rice."

Keywords: condoleeza rice

Visual Concepts: N/A

Visual Examples:















- Query class:
 - "Named Person"
- Text search: (.95)
 - "condoleeza rice"
- Concept search: (.00)
 - N/A
- Visual search: (.05)
 - 7 examples

Condoleezza Rice: Text Search




- Text search strong.
- Still many false alarms
 - anchors
 - graphics
 - etc

Condoleezza Rice: Information Bottleneck Reranking



- IB reranking focuses in on:
 - recurrent scenes
- Filters out:
 - anchors
 - other noise

Condoleezza Rice: Concept Search



No matching concepts

Returns random results

Condoleezza Rice: Visual Example Search



Non-meaningful results

- Cues
 - anchor background
 - white house

Condoleezza Rice: Fused



Concept - 0.00
 Example - 0.05
 Text - 0.95

 little improvement over text alone

still much noise


Multimodal Search Performance

	Text	IB	Concept	Visual	Fused	Change
Building	0.04	0.03	0.30	0.10	0.33	+10%
Condi Rice	0.19	0.20	0.00	0.01	0.20	+0%
Soccer	0.34	0.42	0.58	0.42	0.83	+43%
Snow	0.19	0.29	0.33	0.03	0.80	+143%
All (2006)	0.08	0.09	0.10	0.07	0.19	+90%

- Values show P@100 (precision of top 100)
- Selective exploitation of stronger methods per query
- Consistent large improvement through classdependent fusion over best individual method.

Automatic Search Performance

- All Official Automatic Runs
- Columbia Submitted Runs
- Internal Runs



Conclusions: Concept Search

- Concept-based Search is a powerful tool for video search: 30 increase when fused with text.
- Applicable for as many as 2/3 of all queries
- Exploitation of large concept lexicons gives modest improvement: 10x increase in lexicon, 2x increase in search performance
 - Reason 1: TRECVID topics biased by LSCOM-lite concepts?
 - Reason 2: LSCOM-lite covers most general concepts?
 - Evaluate coverage distances over large real query logs?
- Concept search complementary with other search methods (text and visual)

Conclusions: Query-Class-Dependency

- Multimodal fusion of text, concept, and visual searches improves 70% over text baseline.
 - Concept search accounts for largest portion of the increase.
- Query-Class-Dependency selects right tools for the type of query.
 - Class selection influenced by strengths of individual tools
 - Fusion consistently improves over best individual tool
- Open issues:
 - Mapping queries to concepts.
 - "Find shots of people in uniform in formation" -> soldiers

More...

- LSCOM Annotations and Lexicon
 - http://www.ee.columbia.edu/dvmm/lscom/ Update coming soon!
- CuVid Video Search Engine
 - http://www.ee.columbia.edu/cuvidsearch
- Digital Video and Multimedia Lab
 - http://www.ee.columbia.edu/dvmm