

**SITEID :** IBM (IBM T. J. Watson Research Center / Columbia University, submission ID: IBM\_3)  
**Experiment ID :** IBM\_MED11\_MED11TEST\_MEDFull\_AutoEAG\_c-AVTBASE\_2  
**Events Processed :** E006 (Birthday Party), E007 (Changing a vehicle tire), E008 (Flash mob gathering), E009 (Getting a vehicle unstuck), E010 (Grooming an animal), E011 (Making a sandwich), E012 (Parade), E013 (Parkour), E014 (Repairing an appliance), E015 (Working on a sewing project)

Scoring Parameters	Cost False Alarm	Cost Miss	Prob. of Target
Value	1	80	0.001

Analysis Report	#Ref	#Sys	#CorDet	#FA	#Miss	Act. PFA	Act. PMiss	Act. NormCost	Min PFA	Min PMiss	Min NormCost	Det. Score
E006	186	31821	105	605	81	0.0191	0.4355	0.6743	0.0103	0.5376	0.6667	0.9422
E007	111	31821	64	577	47	0.0182	0.4234	0.6506	0.0107	0.4414	0.5753	0.9208
E008	132	31821	112	464	20	0.0146	0.1515	0.3344	0.0131	0.1591	0.3230	0.9375
E009	95	31821	66	742	29	0.0234	0.3053	0.5973	0.0119	0.3895	0.5383	0.9402
E010	87	31821	43	1053	44	0.0332	0.5057	0.9201	0.0064	0.6782	0.7584	0.9614
E011	140	31821	83	1030	57	0.0325	0.4071	0.8131	0.0195	0.4929	0.7361	0.9145
E012	231	31821	165	734	66	0.0232	0.2857	0.5759	0.0198	0.3117	0.5595	0.9223
E013	104	31821	77	787	27	0.0248	0.2596	0.5695	0.0106	0.3462	0.4780	0.9335
E014	78	31821	50	332	28	0.0105	0.3590	0.4896	0.0054	0.3846	0.4519	0.9617
E015	81	31821	48	1004	33	0.0316	0.4074	0.8024	0.0099	0.5309	0.6540	0.9404

DET for IBM\_3 : IBM\_MED11\_MED11TEST\_MEDFull\_AutoEAG\_c-AVTBASE\_2

