

SITEID : dcu-savasa

Experiment ID : dcu-savasa_2013_retroED_EVAL13_ENG_s-camera_c-uu-run1_1 (Contrastive retroED)

Events Processed : CellToEar, ObjectPut, PersonRuns, Pointing

Scoring Parameters	Duration	Cost False Alarm	Cost Miss	Rate of Target	BETA
Value	54890	1	10	20	0.005

Title	Inputs			Actual Decision DCR Analysis								Minimum DCR Analysis			
	#Targ	#NTarg	#Sys	#CorDet	#Cor!Det	#FA	#Miss	RFA	PMiss	DCR	Dec-Tresh	RFA	PMiss	DCR	Dec-Thresh
CellToEar	194	277	279	2	0	277	192	18.16724	0.990	1.0805	0.7854	0.06559	1.000	1.0003	0.963
ObjectPut	621	960	987	27	0	960	594	62.96229	0.957	1.2713	0.7829	0.19676	1.000	1.0010	0.980
PersonRuns	107	476	477	1	0	476	106	31.21880	0.991	1.1467	0.7765	0.06559	1.000	1.0003	0.954
Pointing	1063	828	867	39	0	828	1024	54.30497	0.963	1.2348	0.7823	0.32793	1.000	1.0016	0.980

